



Point-of-Service

Utilizing Motorola MC55 and MC70

From the outdoor deck to the coziest corner booth, the downstairs lounge to the rooftop bar, and in-seat ordering at sporting events, Mobile MICROS handheld technology allows you to service your customers wherever they are enjoying your hospitality. Our technology gives you and your staff the ultimate flexibility in providing excellent, immediate service that translates into increased operating efficiencies, greater profits, and an enhanced guest experience. MICROS is proud to offer its third generation handheld solution, the Mobile MICROS Handheld point-of-sale terminal. This solution has been created specifically for the hospitality industry and is fully integrated with our MICROS 3700, MICROS 9700, and Symphony point-of-sale solutions. This sleek yet robust solution puts a wealth of profit building power right into your hand.



Back Office, Business Intelligence,
Customer Relationship Management,
Enterprise Support Solutions, Hardware,
Point-of-Service, Restaurant Operations,
Service Solutions

SERVICE YOUR CUSTOMERS ANYWHERE

Boost Your Profits at Every Turn

- Suggestive selling prompts assist with specials, premium liquor, and additional service rounds
- Immediate service to your customers
- When used with MICROS 9700 or Symphony
 - Issue, redeem, and recharge RFID wristbands, cards, and key chains with an add-on RFID reader
 - Allow guests to digitally sign charges with Signature Capture capabilities
- Process credit card payments securely
- Provide a significantly higher level of personal service for increased guest satisfaction

Built on Today's Best Technology

- Microsoft® Windows® Pocket PC platform
- Embedded software platform creates a mobile interface that is friendly and familiar
- Utilizes industry standard wireless network protocols and supports Magnetic Card Readers, scanners, and local and remote printing
- Supports the integration of custom applications and interfaces
- Preloaded with MICROS Client Application Loader (CAL), an embedded software agent that automates and simplifies software deployment and maintenance

Built Tough for Any Environment

- MICROS recommends the handheld terminal from Motorola/Symbol Technologies
 - Palm-size device
 - More rugged than the standard, off-the-shelf PDA
 - User-friendly, flexible, and practical
 - Standardized on 802.11 a/b/g protocol

Stay Close to Your Customers

- Take your point-of-sale terminal directly to the customer
- Spend more time on the floor attending to guests
- Orders are taken more quickly and accurately, and food is delivered in a smooth flow
- Guest checks can be started anywhere and settled at any location

Make Your Staff More Efficient

- Take and review orders table-side to reduce errors
- Orders submitted directly to the kitchen to increase speed of service



Motorola
MC55



Motorola
MC70

SPECIFICATIONS MOTOROLA MC55

| | |
|-----------------------|---|
| Memory – RAM/Flash | 128MB SDRAM/256MB Flash |
| Operating system (OS) | Microsoft Windows Mobile 6.1 Classic |
| Processor (CPU) | XScale™ PXA270 520 MHz processor |
| Scanner | 1D Laser Scanner |
| Dimensions (HxWxD) | 5.78 in. H x 3.03 in. W x 1.06 in. D/14.7 cm H x 7.7 cm W x 2.6 cm D |
| Display resolution | Color 3.5 in. QVGA (320x240) Touch Panel |
| Weight | MC5590: 11.1 oz./315g (with rechargeable 2400 mAh Lithium Ion battery) |
| Keyboard | PIM – Not used by MICROS applications |
| Battery | Re-chargeable 3600 mAh Extended Life Battery |
| Environmental | RoHS-compliant |
| Drop | 4ft to Concrete at ambient operating temperature |
| Tumble | 250 1.6 ft./5 m tumbles (equivalent to 500 drops) |
| Sealing | IP54 |
| RF exposure | WLAN: USA: FCC Part 15.247, 15.407 – Canada: RSS210, RSS310 – EU: EN 300 328, EN 300-440-2, EN 301 893 – Japan: ARIB STD-T233, ARIB STD-T66, ARIB STD-T70 & 171 – Australia: AS/NZS 4268 |
| LAN | 802.11 a/b/g |
| Supported Data Rates | 1, 2, 5.5, 6, 9, 11, 12, 18, 24, 36, 48 and 54 Mbps |
| WPAN | Bluetooth – Bluetooth printing is supported in 9700 and Symphony with the Epson P-60 Mobilink BT printer |
| Antenna | Internal |
| Security | WEP (40 or 128 bit), TKIP, AES, WPA (Personal or Enterprise), WPA2 (Personal or Enterprise), 802.1x, EAP-TLS, TTLS (CHAP, MS-CHAP, MS-CHAPv2, PAP or MD5), PEAP (TLS, MS-CHAPv2, EAP-GTC), LEAP, EAP-FAST (TLS, MS-CHAPv2, EAP-GTC) |
| Service Plan | 3-year service plan |

SPECIFICATIONS MOTOROLA MC70

| | |
|-----------------------|---|
| Dimensions: | 6 in. L x 3.1 in. W x 1.5 in D 15.3 cm L x 7.6 cm W x 3.7 cm D |
| Weight | 11.2 oz./314g (excluding battery) |
| Display: | Color 3.5" QVGA with backlight, 65K colors, 240 W x 320 L |
| Touch Panel: | Glass analog resistive touch |
| Backlight: | LED backlight |
| Main Battery: | Extended Life 3.7V, 3800 mAh Smart Battery |
| Backup Battery: | Ni-MH battery (rechargeable) 20mAh 1.2V, 2 cells (not user-accessible) |
| Expansion slot: | User accessible SDIO slot (with secure cover) |
| Keypad | 26 button Numeric keypad |
| CPU: | Intel® XScale™ 624 MHz processor w/64MB RAM/128MB ROM |
| Operating System: | Microsoft® Windows™ Mobile 5.0 Premium |
| Drop Specification: | 4 ft. drop to concrete. See enclosed documentation for exact specifications |
| Tumble Specification: | 1,000 1.6 ft./5 m tumbles (2,000 drops) |
| Sealing: | IP54 |
| WLAN Radio: | Tri-mode IEEE® 802.11 a/b/g Note: 802.11a not available in Thailand. |
| Data Rates Supported: | 1, 2, 5.5, 6, 9, 11, 12, 18, 24, 36, 48 and 54 Mbps |
| Antenna: | Internal |
| Bluetooth: | Class II, v 1.2 |
| Scanner | 1D linear scanner |
| Service Plan | 3-year service plan |



7031 Columbia Gateway Drive
Columbia, MD 21046-2289, USA
www.micros.com

Sales information:
(443) 285-6000
(866) 287-4736 (US and Canada)